18

What is claimed is:

- A reagent for detecting human papilloma virus DNA in a cell sample which indicates the patient providing the cell sample is at risk for cancer comprising;
- a plurality of DNA probes capable of specifically hybridizing to high-risk HPV DNA but not low-risk HPV DNA.
- 2. The reagent of claim 1 wherein the probes hybridize to HPV types 16, 18, 31, 33, 35 and 51 but not 6, 11, 41, 42, 43 and 44.
- 3. The reagent of claim 2 wherein the probes also hybridize to HPV types 39, 45, 52, 56, 58, 59, 68 and 70.
- 4. The reagent of claim 1 wherein the cell sample is cervical cells taken from a patient.
- 5. The reagent of claim 1 wherein the DNA probes are full length HPV probes.
- 6. The reagent of claim 1 consisting essentially of DNA probes to HPV types 16, 18, 31, 33, 35 and 51.
- 7. The reagent of claim 6 where the each DNA probe is in the following amounts: HPV 16 8.3%, HPV 18 20.8%, HPV 31 8.3%, HPV 33 20.8%, HPV 35 20.8%, HPV 51 20.8%
- 8. A method for detecting human papilloma virus DNA in a cell sample which indicate the patient providing the cell sample is at risk for cancer comprising;

adding the reagent of claim 1 under hybridization conditions, and $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right)$

detecting the presence or absence of hybridization inside cells in the cell sample.

PCT/US99/25109

19

- 9. The method of claim 8, wherein the reagent probes hybridize to HPV types 16, 18, 31, 33, 35 and 51 but not 6, 11, 41, 42, 43 and 44 in a cervical cell sample.
- 10. The method of claim 8 wherein the reagent probes also hybridize to HPV types 39, 45, 52, 56, 58, 59, 68 and 70 and low stringency hybridization conditions are used.
- 11. The method of claim 8 further comprising pretreating the cell sample with a protease.
- 12. The method of claim 8 further comprising destaining and/or deparaffining the cell sample.
- 13. The method of claim 8 wherein the reagent contains full length HPV probes.
- 14. The method of claim 8 wherein the reagent consisting essentially of DNA probes to HPV types 16, 18, 31, 33, 35 and 51.
- 15. The method of claim 14 where the reagent contains DNA probes in the following amounts: HPV 16 8.3%, HPV 18 20.8%, HPV 31 8.3%, HPV 33 20.8%, HPV 35 20.8%, HPV 51 20.8%
- 16. The method of claim 15 wherein the cell sample contains abnormal cervical cells.
- 17. A kit for detecting high and intermediate risk human papilloma virus DNA in a sample comprising a container containing the reagent of claim 1.
- 18. A kit for detecting high and intermediate risk human papilloma virus DNA in a sample comprising a container containing the reagent of claim 2.

20

- 19. A kit for detecting high and intermediate risk human papilloma virus DNA in a sample comprising a container containing the reagent of claim 3.
- 20. A kit for detecting high and intermediate risk human papilloma virus DNA in a sample comprising a container containing the reagent of claim 5.
- 21. A kit for detecting high and intermediate risk human papilloma virus DNA in a sample comprising a container containing the reagent of claim 6.
- 22. A kit for detecting high and intermediate risk human papilloma virus DNA in a sample comprising a container containing the reagent of claim 7.